



100% FREE • NO SIGN-UP • SHARE IT

WEIGHTLESS KITCHEN • WEIGHTLESSKITCHEN.WEBSITE

The Baking Soda Kitchen Guide

14 days, evidence-based and printable: the morning water, the safety checklist, 20 baking soda recipes under 450 kcal, and the plan behind 18 pounds.

WELCOME

No miracles. Just what works — and what the sources say.

I'm a home cook in Austin, Texas. I'm not a doctor or a dietitian, and this guide doesn't pretend to be a clinic. I got tired of "baking soda melts fat" posts, read the actual sources, and tested what held up in my own kitchen. Eighteen pounds later, this is what I do.

Key takeaways

- Baking soda does **not** burn fat. It helps indirectly: less bloat, no sugary drinks, lean and high-fiber food you actually enjoy.
- The dose is a **pinch ($\frac{1}{8}$ tsp)**, not a spoon. Not every day. Ask your doctor if you have any condition.
- The real work is in the kitchen — this guide is mostly recipes and a plan.

WHAT'S INSIDE

1. The morning water — dose, timing, who should skip it
2. Safety checklist
3. The method: 5 rules
4. 14-day plan + 2 shopping lists
5. 20 baking soda recipes (under 450 kcal)
6. Kitchen-trick cheat sheet + tracker + sources

Please read: personal experience plus a plain-English reading of public sources — not medical advice. Baking soda is high in sodium. Keep it to a pinch, take days off, and talk to your doctor first if you have blood pressure, kidney, heart or stomach issues, are pregnant, or take medication.



The morning water



YOU NEED

- 8 oz warm water (warm, not hot)
- Juice of ½ fresh lemon
- ⅛ tsp baking soda — one small pinch

⅛ tsp

≈150 mg sodium — about a slice of bread. A teaspoon is ≈1,200 mg, over half the FDA daily value (2,300 mg), in one glass.

- 1 **Warm the water.** Body temperature.
- 2 **Squeeze the lemon.** Fresh.
- 3 **Stir in the pinch** until it stops fizzing.
- 4 **Sip slowly, then walk.** Breakfast after.

WHEN	WHY
Morning, empty stomach	Default. Then a 30-min walk, then breakfast.
Before a walk	20 min ahead, with plain water too.
After a heavy meal	45–60 min later, for a stomach that sits like a brick.

Once a day maximum. A few weeks on, one week off.

Safety checklist — read before your first glass

Cooking uses (rinsed off or baked in) are fine for everyone. This checklist is about *drinking* it.

- ☐ **I'll use $\frac{1}{8}$ teaspoon, never a spoonful.** More adds sodium, not benefit.
- ☐ **Once a day at most, with weeks off.** It's a ritual, not a supplement.
- ☐ **Not on a very full stomach.** 45–60 minutes after eating.
- ☐ **I don't have high blood pressure, heart failure, kidney disease or edema** — or I've asked my doctor.
- ☐ **I'm not pregnant or breastfeeding** — or I've asked my doctor.
- ☐ **I take no medication** — or I've asked my doctor (bicarbonate changes stomach acidity and can alter how some drugs are absorbed).
- ☐ **I'll stop if I get nausea, cramps, swelling or unusual bloating,** and talk to my doctor.
- ☐ **I understand it does not burn fat.** The weight loss comes from the plan.

WHO SHOULD SKIP IT ENTIRELY

Children. Anyone with a history of metabolic alkalosis.
Anyone told by a doctor to avoid antacids or sodium.

WHY ATHLETES USE MORE

Sports science studies sodium bicarbonate as a buffer for short, intense exercise at doses far above anything here (ISSN, 2021). That's not a weight-loss use and not what this guide describes.

The method: five rules that did the work

RULE	WHY IT WORKS	WHERE BAKING SODA COMES IN
1. Don't drink calories	Sugary drinks don't fill you up; two a day $\approx$ 300 kcal $\approx$ 2 lb a month (CDC).	The morning water and the lemon-ginger fizz replace them.
2. Protein first	25–40 g per meal is the most filling macronutrient and protects muscle (Leidy 2015).	Velveting makes cheap lean protein tender.
3. Volume from beans & vegetables	Fiber adds fullness for few calories (Slavin 2005).	A pinch softens beans and crisps vegetables with little oil.
4. Swap, don't cut	Diets fail on deprivation; rebuilt favorites don't.	Soda-risen pancakes and bread, soda-parboiled "fries".
5. Water, walk, breakfast	A fixed morning order turns the walk into a habit.	The glass is the trigger.



14 days, week 1

Every day: morning water → 30-min walk → breakfast. ~1,400–1,600 kcal. Numbers = recipes in Chapter 5. Swap within a column freely.

DAY	BREAKFAST	LUNCH	DINNER	SNACK	KCAL
1 Mon	Oat yogurt pancakes (12)	Tomato soup (10) + soda bread (14)	Velvety chicken & broccoli (2)	Yogurt + berries	~ 1480
2 Tue	Egg white omelet (11) + fruit	Lentil soup (8)	Snappy shrimp (3) + cauliflower mash (18)	Crispy chickpeas (19)	~ 1420
3 Wed	Banana muffins (13) ×2 + yogurt	Black bean soup (7)	Crispiest potatoes (15) + tender pork (4)	Ginger fizz (20) + apple	~ 1560
4 Thu	Omelet (11)	Tuna + greens + soda bread (14)	Caramelized-onion chicken (6) + broccoli (17)	Yogurt + berries	~ 1470
5 Fri	Oat pancakes (12)	Leftover chili (9)	Velvety beef & green beans (5)	Muffin (13)	~ 1580
6 Sat	Soda bread (14) + eggs	Lentil soup (8) + chickpeas (19)	Sheet-pan vegetables (16) + shrimp (3)	Yogurt + berries	~ 1450
7 Sun	Omelet (11) + fruit	Black bean soup (7)	Pinto bean chili (9)	Fizz (20) + muffin (13)	~ 1520

Every day starts with the morning water (1) and a 30-minute walk.

14 days, week 2

Same rhythm, new meals. Men or very active people: add one snack (~200 kcal). Hungry? Double the vegetables first.

DAY	BREAKFAST	LUNCH	DINNER	SNACK	KCAL
1 Mon	Muffins (13) ×2 + yogurt	Lentil soup (8)	Velveting chicken (2) + crispiest potatoes (15)	Apple + cottage cheese	~ 1500
2 Tue	Omelet (11)	Black bean soup (7)	Tender pork (4) + cauliflower mash (18)	Crispy chickpeas (19)	~ 1540
3 Wed	Oat pancakes (12)	Tomato soup (10) + soda bread (14)	Velveting beef (5) + broccoli (17)	Ginger fizz (20) + fruit	~ 1460
4 Thu	Omelet (11) + fruit	Leftover chili (9)	Snappy shrimp (3) + sheet-pan vegetables (16)	Yogurt + berries	~ 1550
5 Fri	Muffins (13) ×2 + yogurt	Lentil soup (8)	Caramelized-onion chicken (6) + potatoes (15)	Chickpeas (19)	~ 1520
6 Sat	Soda bread (14) + eggs	Pinto chili (9)	Velveting chicken (2) + vegetables (16)	Muffin (13)	~ 1580
7 Sun	Oat pancakes (12) + fruit	Tomato soup (10)	Beef & green beans (5) + mash (18)	Fizz (20)	~ 1490

Every day starts with the morning water (1) and a 30-minute walk.

Shopping lists

✓ Week 1

Protein

- Chicken breast 2½ lb · pork loin 1 lb · shrimp 1 lb
- Eggs 2 dozen · plain nonfat Greek yogurt 32 oz · cottage cheese

Beans & grains

- Dried black beans 1 lb · red lentils 1 lb · canned chickpeas ×2
- Rolled oats 2 lb · whole-wheat flour 2 lb

Produce

- Lemons 10 · ginger · garlic · onions 4
- Cauliflower 2 · broccoli 2 · zucchini 4 · potatoes 2 lb
- Carrots · celery · spinach · peppers 3 · tomatoes · bananas · berries · apples

Pantry

- **Baking soda 1 box** · olive oil · low-sodium soy · vinegar · cumin, paprika, cinnamon · low-sodium broth 2 qt · crushed tomatoes ×2

✓ Week 2

Protein

- Chicken breast 2 lb · lean ground turkey 1 lb · lean sirloin 1 lb · shrimp 1 lb
- Eggs 2 dozen · Greek yogurt 32 oz

Beans & grains

- Dried pinto beans 1 lb · red lentils · chickpeas ×2 · rolled oats

Produce

- Lemons 10 · ginger · garlic · onions 4
- Cauliflower 2 · broccoli 2 · green beans · sweet potatoes 2 lb · butternut squash
- Carrots · celery · spinach · kale · peppers · tomatoes · bananas · berries

Pantry

- Check the **baking soda** — one box lasts both weeks · no-sugar marinara · unsweetened almond milk

20 baking soda recipes under 450 kcal

Per serving.  = what the baking soda does.



1. Lemon Baking Soda Morning Water

✓ Drink 8 kcal · 0 g protein

 The glass that replaced my sugary drinks and settles a heavy stomach.

INGREDIENTS

- 8 oz warm water
- juice of ½ lemon
- ⅛ tsp baking soda

STEPS

1. Warm the water.
2. Add lemon, then the pinch; stir until clear.
3. Sip slowly, then walk.



2. Velveted Lemon Chicken & Broccoli

✓ Dinner 340 kcal · 38 g protein

 ½ tsp soda keeps lean chicken silky and juicy with no oil.

INGREDIENTS

- 1 lb chicken breast, thin slices
- ½ tsp baking soda
- 3 cups broccoli
- garlic, ginger
- 2 tbsp low-sodium soy, 1 lemon
- 1 tsp olive oil

STEPS

1. Toss chicken with soda, rest 15 min, rinse, pat dry.
2. Sear 3–4 min, remove.
3. Stir-fry aromatics + broccoli 3 min.
4. Return chicken, soy, lemon; toss 1 min. Serves 3.



3. Snappy Garlic Lemon Shrimp

✓ Dinner 290 kcal · 34 g protein

 A 15-minute soda brine keeps shrimp plump.

INGREDIENTS

- 1 lb shrimp
- ½ tsp baking soda + ½ tsp salt
- 3 garlic cloves
- 1 tsp olive oil
- lemon, parsley, chili

STEPS

1. Toss shrimp with soda + salt, rest 15 min, rinse, dry.
2. Garlic in oil 30 s; shrimp 2 min per side.
3. Lemon, parsley, chili.

Baking soda recipes



4. Tender Pork & Peppers

✓ Dinner 350 kcal · 36 g protein

🍷 **Velveting lean pork keeps it tender in a hot pan.**

INGREDIENTS

- 1 lb pork loin, strips
- ½ tsp baking soda
- 2 peppers, 1 onion
- 2 tbsp low-sodium soy, vinegar
- 1 tsp oil, garlic

STEPS

1. Toss pork with soda 15 min; rinse; dry.
2. Sear 3 min; remove.
3. Peppers + onion 4 min; return pork with soy. Serves 3.



5. Velveted Beef & Green Beans

✓ Dinner 380 kcal · 36 g protein

🍷 **Soda tenderizes lean sirloin so it stays juicy.**

INGREDIENTS

- 1 lb lean sirloin, strips
- ½ tsp baking soda
- 3 cups green beans
- garlic, ginger
- 2 tbsp low-sodium soy, 1 tsp oil

STEPS

1. Toss beef with soda 15 min; rinse; dry.
2. Sear 2 min; remove.
3. Beans + aromatics 4 min; return beef. Serves 3.



6. Quick Caramelized-Onion Chicken

✓ Dinner 360 kcal · 40 g protein

🍷 **A pinch caramelizes onions in 12 minutes instead of 45.**

INGREDIENTS

- 2 onions
- ¼ tsp baking soda
- 1 tsp oil
- 1 lb chicken breast
- thyme, balsamic

STEPS

1. Onions + soda in oil, 12 min.
2. Sear seasoned chicken 5–6 min per side.
3. Balsamic splash. Serves 3.

Baking soda recipes



7. Soft Black Bean Soup

✓ Lunch 290 kcal · 17 g protein

🥤 Soda softens dried beans fast and makes them gentle.

INGREDIENTS

- 1 cup dried black beans, soaked
- ¼ tsp baking soda
- onion, 2 garlic, 1 tsp cumin
- 4 cups low-sodium broth
- lime, cilantro

STEPS

1. Simmer beans in fresh water + soda 25–30 min; drain, rinse.
2. Sauté onion, garlic, cumin.
3. Add beans + broth 10 min; blend half. Serves 4.



8. 30-Minute Red Lentil Soup

✓ Lunch 270 kcal · 16 g protein

🥤 Soda softens lentils in half the time, creamy without blending.

INGREDIENTS

- 1 cup red lentils
- ¼ tsp baking soda
- onion, 2 carrots, garlic
- cumin, turmeric
- 5 cups broth, lemon

STEPS

1. Sauté vegetables 5 min, add spices.
2. Add lentils, broth, soda; 20 min.
3. Lemon. Serves 4.



9. Soft Pinto Bean Chili

✓ Dinner 320 kcal · 22 g protein

🥤 Soda softens the beans and tames tomato acidity.

INGREDIENTS

- 1 cup dried pinto beans, soaked
- ¼ tsp baking soda
- ½ lb lean ground turkey
- onion, garlic, chili powder, cumin
- 1 can crushed tomatoes, 2 cups broth

STEPS

1. Simmer beans in soda water 30 min; drain, rinse.
2. Brown turkey with onion, garlic, spices.
3. Add beans, tomatoes, broth; 15 min. Serves 4.

Baking soda recipes



10. Silky Tomato Soup (no cream)

✓ **Lunch** 160 kcal · 5 g protein

🥄 **¼ tsp soda neutralizes the acid — creamy without cream.**

INGREDIENTS

- 2 cans crushed tomatoes
- onion, 2 garlic
- 2 cups broth
- ¼ tsp baking soda
- 1 tsp oil, basil

STEPS

1. Sauté onion + garlic 5 min.
2. Add tomatoes + broth, 15 min.
3. Stir in soda (foams), 2 min, blend. Basil.



11. Fluffy Egg White Omelet

✓ **Breakfast** 190 kcal · 24 g protein

🥄 **A tiny pinch makes egg whites rise like a soufflé.**

INGREDIENTS

- 4 egg whites
- tiny pinch baking soda
- spinach, 2 tbsp tomato
- salt, pepper, oil spray

STEPS

1. Whisk whites + soda + salt until frothy.
2. Wilt spinach in a sprayed pan.
3. Pour eggs, cover on low 2–3 min. Fold.



12. Fluffy Oat Yogurt Pancakes

✓ **Breakfast** 320 kcal · 22 g protein

🥄 **Soda + yogurt lift the batter — no flour, no sugar.**

INGREDIENTS

- ½ cup oats
- ½ cup Greek yogurt
- 1 egg + 1 white
- ½ tsp baking soda
- vanilla, cinnamon
- ½ cup blueberries

STEPS

1. Blend all but berries; rest 5 min.
2. Cook on sprayed pan, medium-low, 2 min per side.
3. Top with blueberries. Makes 3.

Baking soda recipes



13. Banana Oat Muffins

✓ **Snack** 190 kcal · 6 g protein

 **Soda reacts with banana and yogurt to lift — no flour, butter or sugar.**

INGREDIENTS

- 2 ripe bananas
- 2 cups oats
- 2 eggs
- ½ cup Greek yogurt
- 1 tsp baking soda
- vanilla, cinnamon

STEPS

1. Blend all until smooth.
2. Lined 12-cup tin.
3. 350°F 20–22 min.



14. Whole-Grain Oat Soda Bread

✓ **Breakfast** 180 kcal · 7 g protein

 **No yeast, no waiting — soda and yogurt make it rise.**

INGREDIENTS

- 2 cups whole-wheat flour
- 1 cup oats
- 1 tsp baking soda, ½ tsp salt
- 1¼ cups Greek yogurt + ½ cup water
- 1 tbsp honey

STEPS

1. Mix dry; stir in wet.
2. Shape round, cut a cross.
3. 400°F 40–45 min. 12 slices.



15. Crispiest Baked Potatoes

✓ **Side** 230 kcal · 5 g protein

 **Parboiling with soda roughs the surface for fry-level crunch.**

INGREDIENTS

- 1½ lb potatoes, chunks
- ½ tsp baking soda in water
- 1 tbsp olive oil
- rosemary, garlic, salt

STEPS

1. Boil in soda water 10 min; drain; shake.
2. Toss with oil + seasoning.
3. 450°F 30–35 min. Serves 4.

Baking soda recipes



16. Crispy Sheet-Pan Vegetables

✓ Side 210 kcal · 6 g protein

🥤 Soda raises surface pH so vegetables crisp with one spoon of oil.

INGREDIENTS

- cauliflower, 2 carrots, 1 red onion
- 1 tbsp olive oil
- ¼ tsp baking soda
- paprika, salt, pepper

STEPS

1. Toss everything.
2. Single layer, 425°F.
3. Roast 25–30 min, flip once.



17. Bright Green Garlic Broccoli

✓ Side 120 kcal · 6 g protein

🥤 A pinch in the blanching water keeps broccoli vivid and tender-crisp.

INGREDIENTS

- 1 head broccoli
- ¼ tsp baking soda in water
- 2 garlic, 1 tsp oil
- lemon zest, chili

STEPS

1. Blanch 2 min in soda water; drain.
2. Garlic in oil 30 s; toss broccoli 1 min.
3. Zest, chili, salt.



18. Creamy Cauliflower Mash

✓ Side 140 kcal · 6 g protein

🥤 Soda in the water breaks cauliflower down for a silky mash.

INGREDIENTS

- 1 head cauliflower
- ¼ tsp baking soda in water
- 2 garlic
- ¼ cup Greek yogurt
- chives

STEPS

1. Boil cauliflower + garlic in soda water 12 min; drain well.
2. Blend with yogurt, salt, pepper.
3. Chives.

Baking soda recipes



19. Crispy Roasted Chickpeas

✓ **Snack** 180 kcal · 9 g protein

🥫 **A soda toss dries the skins so they roast shatter-crisp.**

INGREDIENTS

- 1 can chickpeas, dried well
- ¼ tsp baking soda
- 1 tsp olive oil
- paprika, garlic powder, salt

STEPS

1. Toss with soda + oil.
2. 400°F 25 min, shake.
3. Add spices, 8 more min.



20. Sugar-Free Lemon Ginger Fizz

✓ **Drink** 15 kcal · 0 g protein

🥫 **Soda + lemon make their own bubbles — a soda replacement with zero sugar.**

INGREDIENTS

- 10 oz cold water
- juice of 1 lemon
- 1 tsp grated ginger
- ⅛ tsp baking soda
- ice, mint

STEPS

1. Stir lemon + ginger into water.
2. Add soda; it fizzes.
3. Over ice with mint.

Kitchen-trick cheat sheet + 14-day tracker

GOAL	HOW MUCH BAKING SODA	HOW
Tender lean meat (velveting)	½ tsp per lb	Toss, rest 15 min, rinse well, pat dry, cook.
Fluffy egg whites	Tiny pinch	Whisk in with salt until frothy.
Crispy roasted vegetables	¼ tsp per tray	Toss with 1 tbsp oil and spices, 425°F.
Crispiest potatoes	½ tsp in boiling water	Parboil 10 min, shake, roast 450°F.
Soft beans / lentils	¼ tsp in the pot	Simmer; rinse before serving.
Silky soup / mash	¼ tsp	Stir in near the end (it foams), blend.
Rise without yeast	½–1 tsp per batch	Pair with yogurt or banana (acid).
Sugar-free fizz	⅛ tsp per glass	Add to lemon water last; drink right away.

HABIT	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Morning water (pinch) or day off														
30-minute walk														
Protein at every meal														
No sugary drinks														

Tick the box, not the scale. Weigh once a week, same morning, before the water.

THAT'S IT

A pinch, a plan, and the sources to check me on.

Everything here is repeatable and boring, which is why it worked. New recipes go up first on my Facebook page — come tell me which one you tried.

FIND ME

weightlesskitchen.website

facebook.com/profile.php?id=61550290137137 — *The Weightless Table*

DON'T WANT TO MEASURE PINCHES?

Readers use **SlimSoda**, a pre-measured baking-soda-powered daily scoop — the same morning routine, no guesswork. Reader offer (buy 2, get 2 free) at weightlesskitchen.website.

Sources

1. Mayo Clinic — Sodium bicarbonate (oral route): proper use, precautions.
2. Grgic J. et al. ISSN position stand: sodium bicarbonate and exercise performance. *JISSN* 2021;18:61.
3. CDC — Sugar-sweetened beverages and consumption.
4. Leidy HJ. et al. The role of protein in weight loss and maintenance. *AJCN* 2015.
5. Slavin JL. Dietary fiber and body weight. *Nutrition* 2005.
6. U.S. FDA — Sodium in your diet (daily value 2,300 mg).

© 2026 Weightless Kitchen. Free to share as-is, not for sale. Not medical advice — consult your doctor. Calorie counts are estimates. Supplement statements have not been evaluated by the FDA.

